

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 6/23/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Name : COACH NEW YORK PURE PLATINUM PARFUM
Product code : CC025J.01

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Perfume

1.4. Supplier's details

INTERPARFUMS LUXURY BRANDS
440 Park Avenue South, 13th Floor
New York, New York NY 10016
USA
T 212-832-1900
pdesaulles@interparfums.com

1.5. Emergency phone number

Emergency number : 908-327-3603 / E-mail : nferon@interparfums.com

SECTION 2 Hazard Identification

2.1. Classification of the substance or mixture

GHS US classification

Flammable liquid, Category 2	H225	Highly flammable liquid and vapor.
Skin corrosion/irritation, Category 2	H315	Causes skin irritation.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361	Suspected of damaging fertility or the unborn child.
Hazardous to the aquatic environment — Acute Hazard, Category 2	H401	Toxic to aquatic life.
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

Full text of H statements : see section 16

2.2. Label elements

GHS US labeling

Hazard pictograms (GHS US)



Signal word (GHS US)

: Danger

Hazard statements (GHS US)

: H225 - Highly flammable liquid and vapor
H315 - Causes skin irritation
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Precautionary statements (GHS US)

- H401 - Toxic to aquatic life
- H411 - Toxic to aquatic life with long lasting effects
- P201 - Obtain special instructions before use.
- P202 - Do not handle until all safety precautions have been read and understood.
- P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- P233 - Keep container tightly closed.
- P261 - Avoid breathing vapors.
- P264 - Wash hands, forearms and face thoroughly after handling.
- P273 - Avoid release to the environment.
- P280 - Wear eye protection, protective gloves, protective clothing.
- P302+P352 - If on skin: Wash with plenty of soap and water.
- P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
- P308+P313 - If exposed or concerned: Get medical advice/attention.
- P333+P313 - If skin irritation or rash occurs: Get medical attention, Get medical advice.
- P337+P313 - If eye irritation persists: Get medical attention, Get medical advice.
- P391 - Collect spillage.
- P403+P235 - Store in a well-ventilated place. Keep cool.
- P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards which do not result in classification : Vapors may form explosive mixture with air.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS US classification
Ethanol	CAS-No.: 64-17-5	70 – 85	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	CAS-No.: 915-730-3	≥ 3.2 – < 4.48	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 1, H410
2,6-dimethyloct-7-en-2-ol	CAS-No.: 18479-58-8	≥ 1.28 – < 2.56	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 STOT SE 3, H336 Aquatic Acute 3, H402

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS US classification
[3R-(3 α ,3 α ,6 α ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	CAS-No.: 67874-81-1	$\geq 0.32 - < 1.28$	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Linalyl acetate	CAS-No.: 115-95-7	$\geq 0.128 - < 1.28$	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317
[3R-(3 α ,3 α ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	CAS-No.: 32388-55-9	$\geq 0.32 - < 1.28$	Skin Sens. 1B, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	CAS-No.: 422-320-3	$\geq 0.32 - < 1.28$	Aquatic Acute 1, H400 Aquatic Chronic 1, H410
(R)-p-mentha-1,8-diene	CAS-No.: 5989-27-5	$\geq 0.32 - < 1.28$	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 3, H412
Linalool	CAS-No.: 78-70-6	$\geq 0.128 - < 1.28$	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 3, H402
Coumarin	CAS-No.: 91-64-5	$\geq 0.128 - < 1.28$	Acute Tox. 3 (Oral), H301 Acute Tox. 3 (Dermal), H311 Acute Tox. 3 (Inhalation), H331 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
Vanillin	CAS-No.: 121-33-5	$\geq 0.128 - < 1.28$	Eye Irrit. 2, H319 Aquatic Acute 3, H402
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0	$\geq 0.128 - < 1.28$	Eye Irrit. 2A, H319
2-ethyl-3-hydroxy-4-pyrone	CAS-No.: 4940-11-8	$\geq 0.128 - < 1.28$	Acute Tox. 4 (Oral), H302 Aquatic Acute 2, H401
3-ethoxy-4-hydroxybenzaldehyde	CAS-No.: 121-32-4	$\geq 0.128 - < 1.28$	Eye Irrit. 2B, H320 Aquatic Acute 3, H402
(Z)-3-hexenyl salicylate	CAS-No.: 65405-77-8	$\geq 0.128 - < 0.32$	Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
α -methyl-1,3-benzodioxole-5-propionaldehyde	CAS-No.: 1205-17-0	$\geq 0.032 - < 0.128$	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
p-mentha-1,4-diene	CAS-No.: 99-85-4	$\geq 0.032 - < 0.128$	Flam. Liq. 3, H226 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS US classification
(E)-3-methyl-5-cyclopentadecen-1-one	CAS-No.: 82356-51-2	≥ 0.032 – < 0.128	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
2-methylpropan-2-ol, tert-butyl alcohol	CAS-No.: 75-65-0	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 STOT SE 3, H335
Pin-2(3)-ene	CAS-No.: 80-56-8	≥ 0.013 - ≤ 0.015	Flam. Liq. 3, H226 Acute Tox. 4 (Oral), H302 Skin Irrit. 2, H315 Skin Sens. 1B, H317 Asp. Tox. 1, H304 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
citral	CAS-No.: 5392-40-5	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

SECTION 4 First aid measures

4.1. Description of necessary first-aid measures

First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. If you feel unwell, seek medical advice.
First-aid measures after skin contact	: Wash skin with plenty of water. Take off contaminated clothing and wash it before reuse. If case of redness or irritation, call a doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
First-aid measures after ingestion	: Rinse mouth out with water. If you feel unwell, seek medical advice.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Chronic symptoms	: Suspected of damaging fertility or the unborn child.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry powder. Alcohol resistant foam. Carbon dioxide (CO2). Water fog.
Unsuitable extinguishing media	: Strong water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapor.
Explosion hazard	: Vapors may form explosive mixture with air. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire	: Toxic fumes may be released. Carbon oxides (CO, CO2).

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

5.3. Special protective equipment and precautions for fire-fighters

Precautionary measures fire	: Contain the extinguishing fluids by bunding (the product is hazardous for the environment).
Firefighting instructions	: Cool down the containers exposed to heat with a water spray.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Self-contained breathing apparatus. Complete protective clothing.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Remove ignition sources. Use special care to avoid static electric charges. No flames, no sparks. Eliminate all sources of ignition.
------------------	--

For non-emergency personnel

Emergency procedures	: Avoid contact with skin and eyes. Avoid breathing vapors. Evacuate unnecessary personnel. In case of important spillage : Mark out the contaminated area with signs and prevent access to unauthorized personnel. Ventilate spillage area.
----------------------	--

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. For further information refer to section 8: "Exposure controls/personal protection".
Environmental precautions	: Do not allow product to spread into the environment. Notify authorities if product enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

For containment	: Take up liquid spill into absorbent material.
Methods for cleaning up	: Wash away residue with large amounts of water.
Other information	: Comply with local regulations for disposal.

Concerning disposal elimination after cleaning, see item 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

Precautions for safe handling	: Ensure good ventilation of the work station. Avoid breathing vapors. Avoid contact with skin and eyes. Avoid the build-up of electrostatic charge. Ground/bond container and receiving equipment. No smoking. No flames, no sparks. Eliminate all sources of ignition. Use non-sparking tools. Use only explosion-proof equipment.
Hygiene measures	: Do not drink, eat or smoke in the workplace. Always wash hands after handling the product. If on skin, take off contaminated clothing.

7.2. Conditions for safe storage, including incompatibilities

Storage conditions	: Store in a cool, well-ventilated place. Keep container tightly closed. Keep away from open flames, hot surfaces and sources of ignition. Protect from heat and direct sunlight. Proper grounding procedures to avoid static electricity should be followed.
Incompatible materials	: Oxidation agents. Strong acids.
Packaging materials	: Original packaging.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH® TLV® STEL	1880 mg/m³
	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
OSHA PEL TWA	1900 mg/m³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
NIOSH REL 10h TWA	1000 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	tert-Butanol (tert-Butyl alcohol)
ACGIH® TLV® TWA	303 mg/m³
	100 ppm
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	tert-Butyl alcohol
OSHA PEL TWA	300 mg/m³
	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	tert-Butyl alcohol
NIOSH REL 10h TWA	100 ppm
NIOSH REL (STEL)	150 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
Pin-2(3)-ene (80-56-8)	
USA - ACGIH - Occupational Exposure Limits	
Local name	α-Pinene
ACGIH® TLV® TWA	112 mg/m³

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Pin-2(3)-ene (80-56-8)	
	20 ppm
Remark (ACGIH)	TLV® Basis: Lung irr. Notations: DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH® TLV® TWA	32 mg/m³ (IFV - Inhalable fraction and vapor)
	5 ppm (IFV - Inhalable fraction and vapor)
Remark (ACGIH)	TLV® Basis: Body weight; URT irr; Eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025

8.2. Appropriate engineering controls

Appropriate engineering controls : Ensure good ventilation of the work station.
Environmental exposure controls : Avoid release to the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:
Wear suitable gloves resistant to chemical penetration. ISO 374-1. Breakthrough time : refer to the recommendations of the supplier
Eye protection:
Chemical goggles or face shield. ISO 16321-1
Skin and body protection:
Protective clothing
Respiratory protection:
In case of inadequate ventilation wear respiratory protection.

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Color	: Light yellow
Odor	: characteristic
Odor threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: < 23 °C
Flammability (solid, gas)	: Highly flammable liquid and vapor.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 0.839 – 0.849
Solubility	: No data available

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: Not applicable
Viscosity, dynamic	: Not applicable
Explosion limits	: No data available
Explosive properties	: Explosive vapor/air mixtures may be formed.
Oxidizing properties	: Non oxidizing material according to EC criteria.
Particle characteristics	: No data available

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapor.

10.2. Chemical stability

Stable at ambient temperature and under normal conditions of use.

10.3. Possibility of hazardous reactions

Vapors may form explosive mixture with air.

10.4. Conditions to avoid

Heat. Heat sources. Direct sunlight.

10.5. Incompatible materials

Oxidation agents. Strong acids.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal)	: Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation)	: Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg (OECD 401 method)
LC50 Inhalation - Rat (Vapors)	116.9 mg/l/4h (OECD 403 method)

Skin corrosion/irritation	: Causes skin irritation.
Serious eye damage/irritation	: Causes serious eye irritation.
Respiratory or skin sensitization	: May cause an allergic skin reaction.
Germ cell mutagenicity	: Not classified (Based on available data, the classification criteria are not met)
Carcinogenicity	: Not classified (Based on available data, the classification criteria are not met)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Reproductive toxicity	: Suspected of damaging fertility or the unborn child.
STOT-single exposure	: Not classified (Based on available data, the classification criteria are not met)
STOT-repeated exposure	: Not classified (Based on available data, the classification criteria are not met)
Aspiration hazard	: Not classified (Based on available data, the classification criteria are not met)
Symptoms/effects after skin contact	: Causes skin irritation. May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Chronic symptoms	: Suspected of damaging fertility or the unborn child.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute)	: Toxic to aquatic life.
Hazardous to the aquatic environment, long-term (chronic)	: Toxic to aquatic life with long lasting effects.

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	
LC50 fish	1.3 mg/l/96h (Lepomis macrochirus (Bluegill) (equivalent or similar to OECD Guideline 203))
EC50 Daphnia	1.38 mg/l/48 h (Daphnia magna (Water flea) (equivalent or similar to OECD Guideline 202))
ErC50 algae	> 0.73 mg/l/96h (Navicula pelliculosa (OECD 201 method))
NOEC chronic fish	0.16 mg/l/ 30 days (Danio rerio (OECD 210 method))
NOEC chronic crustacea	0.028 mg/l/ 21 days (Daphnia magna (Water flea) (OECD 211 method))
NOEC chronic algae	0.133 mg/l/72 h (Navicula pelliculosa (OECD 201 method))
[3R-(3α,3aβ,6α,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (67874-81-1)	
LC50 fish	0.43 mg/l/96h (Cyprinus carpio (Common carp) (OECD 203 method))
EC50 Daphnia	0.48 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method))
ErC50 algae	> 1.8 mg/l/72 h ((Raphidocelis subcapitata) (OECD 201 method))
NOEC chronic algae	0.51 mg/l/72 h ((Raphidocelis subcapitata) (OECD 201 method))
[3R-(3α,3aβ,7β,8α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9)	
LC50 fish	2.3 mg/l/96h Pimephales promelas(OECD 203 method)
EC50 Daphnia	0.86 mg/l/48 h (Daphnia magna)(OECD 202 method)
ErC50 algae	> 4.3 mg/l/96h (Raphidocelis subcapitata)(OECD 201 method)
NOEC chronic crustacea	0.087 mg/l/ 21 days (Daphnia magna (Water flea) (OECD 211 method))
NOEC chronic algae	1.07 mg/l/96h (Raphidocelis subcapitata)(OECD 201 method)
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	
LC50 fish	2 mg/l/96h (Oncorhynchus mykiss (Rainbow trout) (OECD 203 method)) (Weight of evidence)
EC50 Daphnia	≥ 96 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method)) (Weight of evidence)
ErC50 algae	> 0.47 mg/l/72 h (Desmodesmus subspicatus ((Méthode de test UE C.3)))
NOEC chronic fish	0.027 mg/l /33 days (Pimephales promelas (OECD 210 method))

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	
NOEC chronic crustacea	0.068 mg/l/ 21 days (Daphnia magna (Water flea) (equivalent or similar to OECD Guideline 211))
NOEC chronic algae	0.421 mg/l/72 h (Desmodesmus subspicatus ((Méthode de test UE C.3)))
(R)-p-mentha-1,8-diene (5989-27-5)	
LC50 fish	0.72 mg/l/96h (Pimephales promelas (OECD 203 method))
EC50 Daphnia	0.307 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method))
ErC50 algae	0.32 mg/l/72 h ((Raphidocelis subcapitata) (OECD 201 method))
Coumarin	
LC50 fish	2.94 mg/l/96h Quantitative structure-activity relationship (QSAR)
EC50 Daphnia	8.012 – 36.9 mg/l/48 h (Daphnia magna)(Quantitative structure-activity relationship (QSAR))
ErC50 algae	1.452 mg/l/72 h Quantitative structure-activity relationship (QSAR)
NOEC chronic fish	0.191 mg/l (30 days) Quantitative structure-activity relationship (QSAR)
NOEC chronic crustacea	0.5 mg/l 21 days (Daphnia sp.) Quantitative structure-activity relationship (QSAR)
NOEC chronic algae	0.431 mg/l/72 h Quantitative structure-activity relationship (QSAR)
(Z)-3-hexenyl salicylate (65405-77-8)	
NOEC chronic algae	0.15 mg/l/72 h (Desmodesmus subspicatus (OECD 201 method))
3-ethoxy-4-hydroxybenzaldehyde (121-32-4)	
LC50 fish	87.6 (81.4 – 94.3) mg/l/96h (Pimephales promelas)(equivalent or similar to OECD Guideline 203)
EC50 Daphnia	26.2 mg/l/48 h (Daphnia magna)(OECD 202 method)
ErC50 algae	> 100 mg/l/72 h (Pseudokirchneriella subcapitata)(OECD 201 method)
(E)-3-methyl-5-cyclopentadecen-1-one (82356-51-2)	
LC50 fish	0.22 mg/l/96h (Oncorhynchus mykiss (Rainbow trout)) (OECD 203 method)
EC50 Daphnia	0.39 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method))
NOEC chronic fish	0.18 mg/l (10 days) (Pimephales promelas (OECD 212 method))
NOEC chronic crustacea	0.155 mg/l/ 21 days (Daphnia magna (Water flea) (OECD 211 method))
12.2. Persistence and degradability	
COACH NEW YORK PURE PLATINUM PARFUM	
Persistence and degradability	No data available.
Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	
Persistence and degradability	Not readily biodegradable.
Biodegradation	11 % (OECD 301C method)
[3R-(3α,3aβ,6α,7β,8α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (67874-81-1)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	53 % (OECD 301D method)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

[3R-(3α,3β,7β,8α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9)	
Persistence and degradability	Not readily biodegradable.
Biodegradation	36 % (28 days) (méthode OCDE 301F)
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one	
Persistence and degradability	Readily biodegradable.
Biodegradation	96.7 % (OECD 301F method)
Coumarin (91-64-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	90 % ((28 days) (OECD 301F method))
(Z)-3-hexenyl salicylate (65405-77-8)	
Persistence and degradability	Readily biodegradable.
Biodegradation	89 % (OECD 301F method)
(E)-3-methyl-5-cyclopentadecen-1-one (82356-51-2)	
Persistence and degradability	Readily biodegradable.
Biodegradation	78.8 % (29days)(OECD 301B method)

12.3. Bioaccumulative potential

No additional information available

12.4. Mobility in soil

No additional information available

12.5. Other adverse effects

Ozone : Not classified
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose of in accordance with relevant local regulations.
Additional information : The user's attention is drawn to the possible existence of specific european, national or local regulations regarding disposal.
Ecological waste information : Do not allow product to spread into the environment.

SECTION 14 Transport information

In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
UN1266	1266	1266
14.2. Proper Shipping Name		
Perfumery products	PERFUMERY PRODUCTS	Perfumery products

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

DOT	IMDG	IATA
14.3. Transport hazard class(es)		
3	3	3
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT	
UN-No. (DOT)	: UN1266
DOT Special Provisions (49 CFR 172.102)	: 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packaging may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / 1 + a (tr - tf)$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
IMDG	
Special provision (IMDG)	: 163
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

EmS-No. (Fire) : F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage) : S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG) : B
MFAG-No : 127

IATA

Special provision (IATA) : A3, A72
PCA Excepted quantities (IATA) : E2
PCA Limited quantities (IATA) : Y341
PCA limited quantity max net quantity (IATA) : 1L
PCA packing instructions (IATA) : 353
PCA max net quantity (IATA) : 5L
CAO packing instructions (IATA) : 364
CAO max net quantity (IATA) : 60L
ERG code (IATA) : 3L

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		Not present	-	
Ethanol	64-17-5	Present	Active	
2-methylpropan-2-ol, tert-butyl alcohol	75-65-0	Present	Active	
2,6-dimethyloct-7-en-2-ol	18479-58-8	Present	Active	
[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene	67874-81-1	Present	Active	
Linalyl acetate	115-95-7	Present	Active	
[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one	32388-55-9	Present	Active	
Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one		Not present	-	
(R)-p-mentha-1,8-diene	5989-27-5	Present	Active	
Linalool	78-70-6	Present	Active	
Coumarin	91-64-5	Present	Active	
Vanillin	121-33-5	Present	Active	
(Z)-3-hexenyl salicylate	65405-77-8	Present	Active	
α -methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	Present	Active	
p-mentha-1,4-diene	99-85-4	Present	Active	

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	CAS-No.	Listing	Commercial status	Flags
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0	Present	Active	PMN
Pin-2(3)-ene	80-56-8	Present	Active	
2-ethyl-3-hydroxy-4-pyrone	4940-11-8	Present	Active	
3-ethoxy-4-hydroxybenzaldehyde	121-32-4	Present	Active	
(E)-3-methyl-5-cyclopentadecen-1-one	82356-51-2	Not present	-	
citral	5392-40-5	Present	Active	

Ethanol (64-17-5)

Not subject to reporting requirements of the United States SARA Section 313

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Subject to reporting requirements of United States SARA Section 313

15.2. International regulations

CANADA

Ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Listed on the Canadian DSL (Domestic Substances List)

2,6-dimethyloct-7-en-2-ol (18479-58-8)

Listed on the Canadian DSL (Domestic Substances List)

[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (67874-81-1)

Listed on the Canadian DSL (Domestic Substances List)

Linalyl acetate (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9)

Listed on the Canadian DSL (Domestic Substances List)

(R)-p-mentha-1,8-diene (5989-27-5)

Listed on the Canadian DSL (Domestic Substances List)

Linalool (78-70-6)

Listed on the Canadian DSL (Domestic Substances List)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Coumarin (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

Vanillin (121-33-5)

Listed on the Canadian DSL (Domestic Substances List)

(Z)-3-hexenyl salicylate (65405-77-8)

Listed on the Canadian DSL (Domestic Substances List)

α -methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on the Canadian DSL (Domestic Substances List)

p-mentha-1,4-diene (99-85-4)

Listed on the Canadian DSL (Domestic Substances List)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on the Canadian DSL (Domestic Substances List)

Pin-2(3)-ene (80-56-8)

Listed on the Canadian DSL (Domestic Substances List)

2-ethyl-3-hydroxy-4-pyrone (4940-11-8)

Listed on the Canadian DSL (Domestic Substances List)

3-ethoxy-4-hydroxybenzaldehyde (121-32-4)

Listed on the Canadian DSL (Domestic Substances List)

(E)-3-methyl-5-cyclopentadecen-1-one (82356-51-2)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

citral (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Ethanol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2,6-dimethyloct-7-en-2-ol (18479-58-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (67874-81-1)

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalyl acetate (115-95-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Reaction mass of: (E)-oxacyclohexadec-12-en-2-one, (E)-oxacyclohexadec-13-en-2-one, a) (Z)-oxacyclohexadec-(12)-en-2-one and b) (Z)-oxacyclohexadec-(13)-en-2-one

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

(R)-p-mentha-1,8-diene (5989-27-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalool (78-70-6)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Coumarin (91-64-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Vanillin (121-33-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

(Z)-3-hexenyl salicylate (65405-77-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

α -methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

p-mentha-1,4-diene (99-85-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Pin-2(3)-ene (80-56-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

2-ethyl-3-hydroxy-4-pyrone (4940-11-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

3-ethoxy-4-hydroxybenzaldehyde (121-32-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

(E)-3-methyl-5-cyclopentadecen-1-one (82356-51-2)

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

citral (5392-40-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

2-methylpropan-2-ol, tert-butyl alcohol (75-65-0)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

2,6-dimethyloct-7-en-2-ol (18479-58-8)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

[3R-(3 α ,3 β ,6 α ,7 β ,8 α)]-octahydro-6-methoxy-3,6,8,8-tetramethyl-1H-3a,7-methanoazulene (67874-81-1)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Linalyl acetate (115-95-7)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

[3R-(3 α ,3 β ,7 β ,8 α)]-1-(2,3,4,7,8,8a-hexahydro-3,6,8,8-tetramethyl-1H-3a,7-methanoazulen-5-yl)ethan-1-one (32388-55-9)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

(R)-p-mentha-1,8-diene (5989-27-5)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Linalool (78-70-6)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Coumarin (91-64-5)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Vanillin (121-33-5)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

α-methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

p-mentha-1,4-diene (99-85-4)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

Pin-2(3)-ene (80-56-8)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

2-ethyl-3-hydroxy-4-pyrone (4940-11-8)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

3-ethoxy-4-hydroxybenzaldehyde (121-32-4)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

(E)-3-methyl-5-cyclopentadecen-1-one (82356-51-2)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

citral (5392-40-5)

Listed on INSQ (Mexican national Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

Component	State or local regulations
Ethanol(64-17-5)	U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
2-methylpropan-2-ol, tert-butyl alcohol(75-65-0)	U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
Pin-2(3)-ene(80-56-8)	U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 6/23/2025

Data sources : SDS of suppliers. ECHA - European Chemicals Agency. CNESST (Commission des normes, de l'équité, de la santé et de la sécurité du travail).

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Full text of hazard classes and H-statements	
H225	Highly flammable liquid and vapor
H226	Flammable liquid and vapor
H227	Combustible liquid
H301	Toxic if swallowed
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H311	Toxic in contact with skin
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H319	Causes serious eye irritation
H320	Causes eye irritation
H331	Toxic if inhaled
H332	Harmful if inhaled
H335	May cause respiratory irritation
H336	May cause drowsiness or dizziness
H361	Suspected of damaging fertility or the unborn child
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms	
CAS-No.	Chemical Abstract Service number
ACGIH	American Conference of Government Industrial Hygienists
TWA	Time Weighted Average
LD50	Median lethal dose
LC50	Median lethal concentration
NOEC	No-Observed Effect Concentration
ErC50	Concentration leading to 50% of effect in terms of growth rate reduction
EC50	Median effective concentration
OECD	Organization for Economic Co-operation and Development
DOT	Department of Transport
IMDG	International Maritime Dangerous Goods
IATA	International Air Transport Association

COACH NEW YORK PURE PLATINUM PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.