

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)
Issue date: 7/7/2025 Version: 1.0

SECTION 1 Identification

1.1. Product identifier

Product form : Mixture
Name : COACH NEW YORK CHERRY PARFUM
Product code : CC026J.01

1.2. Other means of identification

No additional information available

1.3. Recommended use of the chemical and restrictions on use

Use of the substance/mixture : Perfume

1.4. Supplier's details

INTERPARFUMS LUXURY BRANDS
440 Park Avenue South, 13th Floor
New York, New York NY 10016
USA
T 212-832-1900
pdesaulles@interparfums.com

1.5. Emergency phone number

Emergency number : 908-327-3603 / E-mail : nferon@interparfums.com

SECTION 2 Hazard identification

2.1. Classification of the substance or mixture

GHS-US classification

Flammable liquid, Category 2	H225	Highly flammable liquid and vapour.
Serious eye damage/eye irritation, Category 2	H319	Causes serious eye irritation.
Skin sensitization, Category 1	H317	May cause an allergic skin reaction.
Reproductive toxicity, Category 2	H361	Suspected of damaging fertility or the unborn child.
Hazardous to the aquatic environment — Acute Hazard, Category 3	H402	Harmful to aquatic life.
Hazardous to the aquatic environment — Chronic Hazard, Category 2	H411	Toxic to aquatic life with long lasting effects.

Full text of H-statements: see section 16

2.2. Label elements

GHS US labelling

Hazard pictograms (GHS US) :



Signal word (GHS US) :

Danger

Hazard statements (GHS US) :

H225 - Highly flammable liquid and vapour
H317 - May cause an allergic skin reaction
H319 - Causes serious eye irritation
H361 - Suspected of damaging fertility or the unborn child.
H402 - Harmful to aquatic life
H411 - Toxic to aquatic life with long lasting effects

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Precautionary statements (GHS US)	: P201 - Obtain special instructions before use. P202 - Do not handle until all safety precautions have been read and understood. P210 - Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P233 - Keep container tightly closed. P261 - Avoid breathing vapours. P264 - Wash hands, forearms and face thoroughly after handling. P273 - Avoid release to the environment. P280 - Wear eye protection, protective gloves, protective clothing. P302+P352 - If on skin: Wash with plenty of soap and water. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. P308+P313 - If exposed or concerned: Get medical advice/attention. P333+P313 - If skin irritation or rash occurs: Get medical attention, Get medical advice. P337+P313 - If eye irritation persists: Get medical attention, Get medical advice. P391 - Collect spillage. P403+P235 - Store in a well-ventilated place. Keep cool. P501 - Dispose of contents and container to a hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
-----------------------------------	--

2.3. Hazards associated with known or reasonably anticipated uses

No additional information available

2.4. Hazards not otherwise classified

Other hazards which do not result in classification : Vapours may form explosive mixture with air.

2.5. Unknown acute toxicity

No additional information available

SECTION 3 Composition/information on ingredients

3.1. Substances

Not applicable

3.2. Mixtures

Name	Product identifier	%	GHS-US classification
Ethanol	CAS-No.: 64-17-5	70 – 80	Flam. Liq. 2, H225 Eye Irrit. 2A, H319
Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	EC-No : 915-730-3	≥ 0.9 – < 1.8	Skin Irrit. 2, H315 Skin Sens. 1B, H317 Aquatic Acute 2, H401 Aquatic Chronic 1, H410
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	CAS-No.: 63500-71-0	≥ 0.9 – < 1.8	Eye Irrit. 2A, H319
Linalyl acetate	CAS-No.: 115-95-7	≥ 0.18 – < 0.9	Flam. Liq. 4, H227 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Name	Product identifier	%	GHS-US classification
Coumarin	CAS-No.: 91-64-5	≥ 0.18 – < 0.9	Acute Tox. 4 (Oral), H302 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
α-methyl-1,3-benzodioxole-5-propionaldehyde	CAS-No.: 1205-17-0	≥ 0.18 – < 0.45	Skin Sens. 1B, H317 Repr. 2, H361 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
(E)-2-benzylideneoctanal	CAS-No.: 165184-98-5	≥ 0.18 – < 0.45	Skin Sens. 1, H317 Aquatic Acute 1, H400 Aquatic Chronic 2, H411
Benzyl acetate	CAS-No.: 140-11-4	≥ 0.18 – < 0.45	Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Geraniol	CAS-No.: 106-24-1	≥ 0.018 – < 0.18	Skin Irrit. 2, H315 Eye Dam. 1, H318 Skin Sens. 1, H317 Aquatic Acute 3, H402
(Z)-3-hexenyl salicylate	CAS-No.: 65405-77-8	≥ 0.045 – < 0.18	Repr. 2, H361 Aquatic Acute 1, H400 Aquatic Chronic 1, H410
Mandarin orange, ext.	CAS-No.: 84929-38-4	≥ 0.045 – < 0.18	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 2, H411
Bergamot, ext.	CAS-No.: 89957-91-5	≥ 0.045 – < 0.18	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Chronic 3, H412
Reaction mass of geranyl acetate and neryl acetate	EC-No : 906-083-8	≥ 0.045 – < 0.18	Skin Irrit. 2, H315 Skin Sens. 1, H317 Aquatic Acute 2, H401 Aquatic Chronic 3, H412
Lemon, ext.	CAS-No.: 84929-31-7	≥ 0.045 – < 0.18	Flam. Liq. 3, H226 Skin Irrit. 2, H315 Skin Sens. 1, H317 Asp. Tox. 1, H304 Aquatic Acute 2, H401 Aquatic Chronic 2, H411
2-methylpropan-2-ol	CAS-No.: 75-65-0	< 0.1	Flam. Liq. 2, H225 Acute Tox. 4 (Inhalation), H332 Eye Irrit. 2A, H319 STOT SE 3, H335
citral	CAS-No.: 5392-40-5	< 0.1	Skin Irrit. 2, H315 Eye Irrit. 2A, H319 Skin Sens. 1B, H317 Aquatic Acute 2, H401

Full text of hazard classes and H-statements : see section 16

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

SECTION 4 First-aid measures

4.1. Description of necessary first-aid measures

First-aid measures general	: IF exposed or concerned: Take medical advice, medical attention.
First-aid measures after inhalation	: Move the affected person away from the contaminated area and into the fresh air. Get medical advice and attention if you feel unwell.
First-aid measures after skin contact	: Wash with soapy water. If irritation persists, consult a doctor.
First-aid measures after eye contact	: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist if irritation persists.
First-aid measures after ingestion	: Rinse mouth. Do not induce vomiting without medical advice. Get medical advice/attention.

4.2. Most important symptoms/effects, acute and delayed

Symptoms/effects after skin contact	: May cause an allergic skin reaction.
Symptoms/effects after eye contact	: Causes serious eye irritation.
Chronic symptoms	: May damage fertility. May damage the unborn child.

4.3. Indication of immediate medical attention and special treatment needed, if necessary

Other medical advice or treatment	: Treat symptomatically.
-----------------------------------	--------------------------

SECTION 5: Fire-fighting measures

5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Dry chemical, CO ₂ , dry sand, or alcohol-resistant foam. Water spray.
Unsuitable extinguishing media	: Strong water jet.

5.2. Specific hazards arising from the chemical

Fire hazard	: Highly flammable liquid and vapour.
Explosion hazard	: Vapours may form explosive mixture with air. Heat may build pressure, rupturing closed containers, spreading fire and increasing risk of burns and injuries.
Hazardous decomposition products in case of fire	: Toxic fumes are released. Carbon oxides (CO, CO ₂).

5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Keep upwind. Fight fire from safe distance and protected location. Contain the extinguishing fluids by bunding.
Protection during firefighting	: Do not attempt to take action without suitable protective equipment. Complete protective clothing. Self-contained breathing apparatus.
Other information	: Collect contaminated extinguishing water separately and must not enter the sewage system.

SECTION 6 Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

General measures	: Ventilate spillage area. Avoid all contact with skin, eyes, or clothing. Do not breathe vapours. No flames, no sparks. Eliminate all sources of ignition. Only qualified personnel equipped with suitable protective equipment may intervene.
------------------	---

For non-emergency personnel

Protective equipment	: Concerning personal protective equipment to use, see section 8.
Emergency procedures	: Evacuate area.

For emergency responders

Protective equipment	: Do not attempt to take action without suitable protective equipment. Concerning personal protective equipment to use, see section 8.
----------------------	--

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

- Emergency procedures : Evacuate the danger area. Stop leak if safe to do so. Mark out the contaminated area with signs and prevent access to unauthorized personnel.
- Environmental precautions : Contain the spilled material by bunding (product is hazardous for the environment). Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

6.2. Methods and materials for containment and cleaning up

- For containment : Take up liquid spill into absorbent material, e.g.: sand, earth, vermiculite.
- Methods for cleaning up : Wash non-recoverable remainder with large amounts of water. Use only non-sparking tools. Do not use compressed air for cleaning.
- Other information : Collect all waste in suitable and labelled containers and dispose according to local legislation.
- For waste disposal after cleaning, see section 13

SECTION 7 Handling and storage

7.1. Precautions for safe handling

- Precautions for safe handling : Ensure good ventilation of the work station. Do not get in eyes, on skin, or on clothing. Do not breathe vapours. Do not expose pregnant or breastfeeding women. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. Ground/bond container and receiving equipment. Proper grounding procedures to avoid static electricity should be followed. Use non-sparking tools. Do not use compressed air to transfer, discharge or transport the product. Do not use compressed air for cleaning. Flame proof, lighting, electrical equipment and ventilation.
- Hygiene measures : Do not drink, eat or smoke in the workplace. Wash hands and other exposed areas with mild soap and water before eating, drinking or smoking and when leaving work. Take off immediately all contaminated clothing and wash it before reuse.

7.2. Conditions for safe storage, including incompatibilities

- Technical measures : The floor of the depot must be impermeable, non-combustible and designed to form a basin, in order that stored flammable liquids should not, under any circumstances, be released outside. Proper grounding procedures to avoid static electricity should be followed.
- Storage conditions : Store tightly closed in a dry, cool and well-ventilated place. Keep the container hermetically sealed. Store in a dark area.
- Incompatible materials : Oxidizing agents. Strong acids. Strong bases.
- Heat and ignition sources : Keep away from open flames, hot surfaces and sources of ignition.
- Special rules on packaging : Keep only in original container.

SECTION 8 Exposure controls/personal protection

8.1. Control parameters

Ethanol (64-17-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Ethanol
ACGIH® TLV® STEL	1880 mg/m ³
	1000 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A3 (Confirmed Animal Carcinogen with Unknown Relevance to Humans)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Ethanol (64-17-5)	
OSHA PEL TWA	1900 mg/m ³
	1000 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	Ethyl alcohol (Ethanol)
NIOSH REL 10h TWA	1000 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
2-methylpropan-2-ol (75-65-0)	
USA - ACGIH - Occupational Exposure Limits	
Local name	tert-Butanol (tert-Butyl alcohol)
ACGIH® TLV® TWA	303 mg/m ³
	100 ppm
Remark (ACGIH)	TLV® Basis: CNS impair. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
USA - OSHA - Occupational Exposure Limits	
Local name	tert-Butyl alcohol
OSHA PEL TWA	300 mg/m ³
	100 ppm
Regulatory reference (US-OSHA)	OSHA Annotated Table Z-1
USA - NIOSH - Occupational Exposure Limits	
Local name	tert-Butyl alcohol
NIOSH REL 10h TWA	100 ppm
NIOSH REL STEL	150 ppm
Regulatory reference (US-NIOSH)	OSHA Annotated Table Z-1 (NIOSH Pocket Guide to Chemical Hazards (NPG))
Benzyl acetate (140-11-4)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Benzyl acetate
ACGIH® TLV® TWA	61 mg/m ³
	10 ppm
Remark (ACGIH)	TLV® Basis: URT irr. Notations: A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025
citral (5392-40-5)	
USA - ACGIH - Occupational Exposure Limits	
Local name	Citral
ACGIH® TLV® TWA	32 mg/m ³ (IFV - Inhalable fraction and vapor)
	5 ppm (IFV - Inhalable fraction and vapor)

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

citral (5392-40-5)

Remark (ACGIH)	TLV® Basis: Body weight; URT irr; Eye dam. Notations: Skin; DSEN; A4 (Not classifiable as a Human Carcinogen)
Regulatory reference	ACGIH 2025

8.2. Appropriate engineering controls

Appropriate engineering controls	: Ensure good ventilation of the work station. Emergency eye wash fountains and safety showers should be available in the immediate vicinity of any potential exposure. Do not expose pregnant or breastfeeding women. Depending on the degree of exposure, periodic medical surveillance is required. Monitor the atmosphere at regular intervals.
Environmental exposure controls	: Avoid discharge of the product as is into the environment.

8.3. Individual protection measures, such as personal protective equipment

Hand protection:

Protective gloves. (ISO 374-1). Breakthrough time : refer to the recommendations of the supplier

Eye protection:

Chemical goggles or face shield. (ISO 16321-1)

Skin and body protection:

Wear suitable protective clothing

Respiratory protection:

Vapor respirator. Gas mask with filter type AX

SECTION 9 Physical and chemical properties

9.1. Basic physical and chemical properties

Physical state	: Liquid
Appearance	: Clear.
Colour	: Pale yellow
Odour	: perfumed
Odour threshold	: No data available
pH	: No data available
Melting point	: No data available
Freezing point	: No data available
Boiling point	: No data available
Flash point	: 20.5 °C
Flammability (solid, gas)	: Highly flammable liquid and vapour.
Vapour pressure	: No data available
Relative vapour density at 20°C	: No data available
Relative density	: 0.848 (+/- 0,005)
Solubility	: No data available
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Explosive limits	: No data available
Explosive properties	: Not explosive. Vapours may form explosive mixture with air.
Oxidising properties	: Non oxidizing.
Particle characteristics	: No data available

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

9.2. Data relevant with regard to physical hazard classes (supplemental)

No additional information available

SECTION 10 Stability and reactivity

10.1. Reactivity

Highly flammable liquid and vapour.

10.2. Chemical stability

The product is stable at normal handling and storage conditions.

10.3. Possibility of hazardous reactions

Flammable or explosive vapour/air mixtures may be formed.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

Oxidation agents. Strong acids. Strong bases.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11 Toxicological information

11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (dermal) : Not classified (Based on available data, the classification criteria are not met)
Acute toxicity (inhalation) : Not classified (Based on available data, the classification criteria are not met)

Ethanol (64-17-5)	
LD50 oral rat	10470 mg/kg (OECD 401 method)
LC50 Inhalation - Rat (Vapours)	116.9 mg/l/4h (OECD 403 method)

Skin corrosion/irritation : Not classified (Based on available data, the classification criteria are not met)

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitisation : May cause an allergic skin reaction.

Germ cell mutagenicity : Not classified (Based on available data, the classification criteria are not met)

Carcinogenicity : Not classified (Based on available data, the classification criteria are not met)

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : Not classified (Based on available data, the classification criteria are not met)

STOT-repeated exposure : Not classified (Based on available data, the classification criteria are not met)

Aspiration hazard : Not classified (Based on available data, the classification criteria are not met)

COACH NEW YORK CHERRY PARFUM

Viscosity, kinematic	No data available
----------------------	-------------------

Symptoms/effects after skin contact : May cause an allergic skin reaction.

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Symptoms/effects after eye contact : Causes serious eye irritation.
Chronic symptoms : May damage fertility. May damage the unborn child.

SECTION 12 Ecological information

12.1. Ecotoxicity

Hazardous to the aquatic environment, short-term (acute) : Harmful to aquatic life.
Hazardous to the aquatic environment, long-term (chronic) : Toxic to aquatic life with long lasting effects.

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	
LC50 fish	1.3 mg/l/96h (Lepomis macrochirus (Bluegill) (equivalent or similar to OECD Guideline 203))
EC50 Daphnia	1.38 mg/l/48 h (Daphnia magna (Water flea) (equivalent or similar to OECD Guideline 202))
ErC50 algae	> 0.73 mg/l/96h (Navicula pelliculosa (OECD 201 method))
NOEC chronic fish	0.16 mg/l/ 30 days (Danio rerio (OECD 210 method))
NOEC chronic crustacea	0.028 mg/l/ 21 days (Daphnia magna (Water flea) (OECD 211 method))
NOEC chronic algae	0.133 mg/l/72 h (Navicula pelliculosa (OECD 201 method))

(Z)-3-hexenyl salicylate (65405-77-8)

LC50 fish	> 0.65 mg/l/96h (Oncorhynchus mykiss (Rainbow trout) (OECD 203 method))
EC50 Daphnia	0.6 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method))
ErC50 algae	0.61 mg/l/72 h (Desmodesmus subspicatus (OECD 201 method))
NOEC chronic algae	0.15 mg/l/72 h (Desmodesmus subspicatus (OECD 201 method))

(E)-2-benzylideneoctanal (165184-98-5)

LC50 fish	≈ 1.7 mg/l/96h (Pimephales promelas (OECD 203 method))
EC50 Daphnia	0.247 mg/l/48 h (Daphnia magna (Water flea) (OECD 202 method))
ErC50 algae	> 0.065 mg/l/72 h (Desmodesmus subspicatus (OECD 201 method))
NOEC chronic crustacea	0.063 mg/l/ 21 days (Daphnia magna (Water flea) (OECD 211 method))
NOEC chronic algae	0.065 mg/l/72 h (Desmodesmus subspicatus (OECD 201 method))

12.2. Persistence and degradability

COACH NEW YORK CHERRY PARFUM

Persistence and degradability	No data available.
-------------------------------	--------------------

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

Persistence and degradability	Not readily biodegradable.
Biodegradation	11 % (OECD 301C method)

(Z)-3-hexenyl salicylate (65405-77-8)

Persistence and degradability	Readily biodegradable.
Biodegradation	89 % (OECD 301F method)

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

(E)-2-benzylideneoctanal (165184-98-5)	
Persistence and degradability	Readily biodegradable.
Biodegradation	97 % (OECD 301F method)

12.3. Bioaccumulative potential

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	
BCF	391 l/kg (Lepomis macrochirus (Bluegill) (OECD 305 method))
Partition coefficient n-octanol/water (Log Pow)	5.65 (OECD 117 method)

(Z)-3-hexenyl salicylate (65405-77-8)	
Partition coefficient n-octanol/water (Log Pow)	4.8 (OECD 117 method)

12.4. Mobility in soil

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.12

(E)-2-benzylideneoctanal (165184-98-5)	
Organic Carbon Normalized Adsorption Coefficient (Log Koc)	4.2 (OECD 121 method)

12.5. Other adverse effects

Ozone : Not classified (Based on available data, the classification criteria are not met)
Fluorinated greenhouse gases : No

SECTION 13 Disposal considerations

Waste treatment methods : Dispose in a safe manner in accordance with local/national regulations.
Sewage disposal recommendations : Disposal must be done according to official regulations.
Product/Packaging disposal recommendations : Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.
Additional information : Flammable vapours may accumulate in the container.

SECTION 14 Transport information




In accordance with DOT / IMDG / IATA

DOT	IMDG	IATA
14.1. UN number		
UN1266	1266	1266
14.2. Proper Shipping Name		
Perfumery products	PERFUMERY PRODUCTS	Perfumery products
14.3. Transport hazard class(es)		
3	3	3

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

DOT	IMDG	IATA
		
14.4. Packing group		
II	II	II
14.5. Environmental hazards		
Dangerous for the environment: Yes	Dangerous for the environment: Yes Marine pollutant: Yes	Dangerous for the environment: Yes

14.6. Transport in bulk

Not applicable

14.7. Special precautions for user

DOT	
UN-No. (DOT)	: UN1266
DOT Special Provisions (49 CFR 172.102)	: 149 - When transported as a limited quantity or a consumer commodity, the maximum net capacity specified in 173.150(b)(2) of this subchapter for inner packagings may be increased to 5 L (1.3 gallons). IB2 - Authorized IBCs: Metal (31A, 31B and 31N); Rigid plastics (31H1 and 31H2); Composite (31HZ1). Additional Requirement: Only liquids with a vapor pressure less than or equal to 110 kPa at 50 C (1.1 bar at 122 F), or 130 kPa at 55 C (1.3 bar at 131 F) are authorized. T4 - 2.65 178.274(d)(2) Normal..... 178.275(d)(3) TP1 - The maximum degree of filling must not exceed the degree of filling determined by the following: Degree of filling = $97 / (1 + a (tr - tf))$ Where: tr is the maximum mean bulk temperature during transport, and tf is the temperature in degrees celsius of the liquid during filling. TP8 - A portable tank having a minimum test pressure of 1.5 bar (150 kPa) may be used when the flash point of the hazardous material transported is greater than 0 C (32 F).
DOT Packaging Exceptions (49 CFR 173.xxx)	: 150
DOT Packaging Non Bulk (49 CFR 173.xxx)	: 202
DOT Packaging Bulk (49 CFR 173.xxx)	: 242
DOT Quantity Limitations Passenger aircraft/rail (49 CFR 173.27)	: 15 L
DOT Quantity Limitations Cargo aircraft only (49 CFR 175.75)	: 60 L
DOT Vessel Stowage Location	: B - (i) The material may be stowed "on deck" or "under deck" on a cargo vessel and on a passenger vessel carrying a number of passengers limited to not more than the larger of 25 passengers, or one passenger per each 3 m of overall vessel length; and (ii) "On deck only" on passenger vessels in which the number of passengers specified in paragraph (k)(2)(i) of this section is exceeded.
IMDG	
Special provisions (IMDG)	: 163
Limited quantities (IMDG)	: 5 L
Excepted quantities (IMDG)	: E2
Packing instructions (IMDG)	: P001
IBC packing instructions (IMDG)	: IBC02
Tank instructions (IMDG)	: T4
Tank special provisions (IMDG)	: TP1, TP8
EmS-No. (Fire)	: F-E - FIRE SCHEDULE Echo - NON-WATER-REACTIVE FLAMMABLE LIQUIDS
EmS-No. (Spillage)	: S-D - SPILLAGE SCHEDULE Delta - FLAMMABLE LIQUIDS
Stowage category (IMDG)	: B

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

IATA

Special provisions (IATA)	: A3, A72
PCA Excepted quantities (IATA)	: E2
PCA Limited quantities (IATA)	: Y341
PCA limited quantity max net quantity (IATA)	: 1L
PCA packing instructions (IATA)	: 353
PCA max net quantity (IATA)	: 5L
CAO packing instructions (IATA)	: 364
CAO max net quantity (IATA)	: 60L
ERG code (IATA)	: 3L

SECTION 15 Regulatory information

15.1. Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Ethanol	64-17-5	Present	Active	
2-methylpropan-2-ol	75-65-0	Present	Active	
Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one		Not present	-	
Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans)	63500-71-0	Present	Active	PMN
Linalyl acetate	115-95-7	Present	Active	
Geraniol	106-24-1	Present	Active	
(Z)-3-hexenyl salicylate	65405-77-8	Present	Active	
α -methyl-1,3-benzodioxole-5-propionaldehyde	1205-17-0	Present	Active	
Coumarin	91-64-5	Present	Active	
(E)-2-benzylideneoctanal	165184-98-5	Not present	-	
Benzyl acetate	140-11-4	Present	Active	
Mandarin orange, ext.	84929-38-4	Not present	-	
Bergamot, ext.	89957-91-5	Not present	-	
Reaction mass of geranyl acetate and neryl acetate		Not present	-	
Lemon, ext.	84929-31-7	Not present	-	
citral	5392-40-5	Present	Active	

Ethanol (64-17-5)

Not subject to reporting requirements of the United States SARA Section 313

2-methylpropan-2-ol (75-65-0)

Subject to reporting requirements of United States SARA Section 313

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

citral (5392-40-5)

Not subject to reporting requirements of the United States SARA Section 313

15.2. International regulations

CANADA

Ethanol (64-17-5)

Listed on the Canadian DSL (Domestic Substances List)

2-methylpropan-2-ol (75-65-0)

Listed on the Canadian DSL (Domestic Substances List)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on the Canadian DSL (Domestic Substances List)

Linalyl acetate (115-95-7)

Listed on the Canadian DSL (Domestic Substances List)

Geraniol (106-24-1)

Listed on the Canadian DSL (Domestic Substances List)

(Z)-3-hexenyl salicylate (65405-77-8)

Listed on the Canadian DSL (Domestic Substances List)

α -methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on the Canadian DSL (Domestic Substances List)

Coumarin (91-64-5)

Listed on the Canadian DSL (Domestic Substances List)

(E)-2-benzylideneoctanal (165184-98-5)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Benzyl acetate (140-11-4)

Listed on the Canadian DSL (Domestic Substances List)

Mandarin orange, ext. (84929-38-4)

Not listed on the Canadian DSL (Domestic Substances List)/NDSL (Non-Domestic Substances List)

Bergamot, ext. (89957-91-5)

Listed on the Canadian DSL (Domestic Substances List)

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Lemon, ext. (84929-31-7)

Listed on the Canadian DSL (Domestic Substances List)

citral (5392-40-5)

Listed on the Canadian DSL (Domestic Substances List)

EU-Regulations

Ethanol (64-17-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

2-methylpropan-2-ol (75-65-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Reaction mass of 1-(1,2,3,4,5,6,7,8-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,4,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one and 1-(1,2,3,5,6,7,8,8a-octahydro-2,3,8,8-tetramethyl-2-naphthyl)ethan-1-one

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Linalyl acetate (115-95-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Geraniol (106-24-1)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

(Z)-3-hexenyl salicylate (65405-77-8)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

α -methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Coumarin (91-64-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

(E)-2-benzylideneoctanal (165184-98-5)

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Benzyl acetate (140-11-4)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Bergamot, ext. (89957-91-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Reaction mass of geranyl acetate and neryl acetate

Not listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

Lemon, ext. (84929-31-7)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

citral (5392-40-5)

Listed on the EEC inventory EINECS (European Inventory of Existing Commercial Chemical Substances)

National regulations

Ethanol (64-17-5)

Listed on IARC (International Agency for Research on Cancer)

2-methylpropan-2-ol (75-65-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Tetrahydro-2-isobutyl-4-methylpyran-4-ol, mixed isomers (cis and trans) (63500-71-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Linalyl acetate (115-95-7)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Geraniol (106-24-1)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

α -methyl-1,3-benzodioxole-5-propionaldehyde (1205-17-0)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Coumarin (91-64-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

Benzyl acetate (140-11-4)

Listed on INSQ (Mexican National Inventory of Chemical Substances)
Listed on the Japanese ENCS (Existing & New Chemical Substances) inventory
Listed on PICCS (Philippines Inventory of Chemicals and Chemical Substances)

citral (5392-40-5)

Listed on INSQ (Mexican National Inventory of Chemical Substances)

15.3. State regulations

California Proposition 65 - This product does not contain any substances known to the state of California to cause cancer, developmental and/or reproductive harm

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Component	State or local regulations
Ethanol(64-17-5)	U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List
2-methylpropan-2-ol(75-65-0)	U.S. - New York City - Right to Know Hazardous Substances List; U.S. - Pennsylvania - RTK (Right to Know) List

SECTION 16 Other Information

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Issue date : 7/7/2025

Data sources : ECHA - European Chemicals Agency. SDS of suppliers. CNESST (Commission des normes, de l'équité, de la santé et de la sécurité du travail).

Full text of hazard classes and H-statements	
H225	Highly flammable liquid and vapour
H226	Flammable liquid and vapour
H227	Combustible liquid
H302	Harmful if swallowed
H304	May be fatal if swallowed and enters airways
H315	Causes skin irritation
H317	May cause an allergic skin reaction
H318	Causes serious eye damage
H319	Causes serious eye irritation
H332	Harmful if inhaled
H335	May cause respiratory irritation
H361	Suspected of damaging fertility or the unborn child.
H400	Very toxic to aquatic life
H401	Toxic to aquatic life
H402	Harmful to aquatic life
H410	Very toxic to aquatic life with long lasting effects
H411	Toxic to aquatic life with long lasting effects
H412	Harmful to aquatic life with long lasting effects

Abbreviations and acronyms	
ACGIH	American Conference of Government Industrial Hygienists
ErC50	EC50 in terms of reduction of growth rate
LC50	Median lethal concentration
DOT	Department of Transportation (DOT)
HPLC	High-Performance Liquid Chromatography
IATA	International Air Transport Association

COACH NEW YORK CHERRY PARFUM

Safety Data Sheet

according to 29 CFR § 1910.1200, Hazard Communication Standard (HCS)

Abbreviations and acronyms	
IMDG	International Maritime Dangerous Goods
LD50	Median lethal dose
CAS-No.	Chemical Abstract Service number
NOEC	No-Observed Effect Concentration
OECD	Organisation for Economic Co-operation and Development
OSHA	Occupational Safety Health Administration
IOELV	Indicative Occupational Exposure Limit Value

Safety Data Sheet (SDS), USA

This information is based on our current knowledge and is intended to describe the product for the purposes of health, safety and environmental requirements only. It should not therefore be construed as guaranteeing any specific property of the product.